




DESIGNED BY F.Dino	CHECKED AND APPROVED BY L. Paleari	GENERAL TOLERANCE SS-ISO-2768-1M	DATE 27/02/2018	CODE T601200B
PACKAGING Carton 1 piece		UNIT mm	SHEET 1 of 3	
DESCRIPTION		MATERIAL Anodise aluminum alloy 6060		
DEVICE		PAIR WEIGHT		

RAM
INDUSTRIE

REVISION HISTORY		
REV	DESCRIPTION	DATE
1a		27/02/2018

Property of RAM Industrie.
Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced.




DESIGNED BY F.Dino	CHECKED AND APPROVED BY L. Paleari	GENERAL TOLERANCE SS-ISO-2768-1M	DATE 27/02/2018	CODE T601200B
PACKAGING Carton 1 piece			UNIT mm	SHEET 2 of 3
DESCRIPTION		MATERIAL Anodise aluminum alloy 6060		
DEVICE		PAIR WEIGHT		

RAM
INDUSTRIE



REVISION HISTORY		
REV	DESCRIPTION	DATE
1a		27/02/2018

Property of RAM Industrie.
Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced.




D

2330,0



1135,0

D (1 : 5)



Lock

DESIGNED BY F.Dino	CHECKED AND APPROVED BY L. Paleari	GENERAL TOLERANCE SS-ISO-2768-1M	DATE 27/02/2018	CODE T601200B
PACKAGING Carton 1 piece		UNIT mm	SHEET 3 of 3	
DESCRIPTION		MATERIAL Anodise aluminum alloy 6060		
DEVICE		PAIR WEIGHT		

RAM
INDUSTRIE

REVISION HISTORY		
REV	DESCRIPTION	DATE
1a		27/02/2018

Property of RAM Industrie.
Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced.